

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------|---------|------------------|
| S114 | 290 | S112 AND S113 | US-PGPUB; USPAT | OR | OFF | 2006/01/11 15:42 |
| S113 | 12280 | (438/253,254,255,256,257,700,702,704,706,710,719,723,724,745,753,770).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/01/11 15:42 |
| S79 | 11841 | (438/253,254,255,256,257,700,702,704,706,710,719,723,724,745,753,770).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/01/11 15:42 |
| S112 | 1976 | S111 AND (side\$1wall\$4 NEAR20 spacer\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 15:38 |
| S111 | 7324 | S110 AND (second\$4 NEAR20 ((poly\$1silicon\$4 NEAR20 (layer\$4 OR film\$4) NEAR20 gate\$4))) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 15:38 |
| S110 | 30017 | transistor\$4 AND (poly\$1silicon\$4 NEAR20 (layer\$4 OR film\$4) NEAR20 gate\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 15:37 |
| S74 | 34 | ("5310693").URPN. | USPAT | OR | OFF | 2006/01/11 15:36 |
| S109 | 160 | (side\$wall\$4 NEAR20 spacer\$4) NEAR20 (etch\$1mask\$4 OR (etch\$4 ADJ mask\$4) or (etch\$4 NEAR5 mask\$4)) NEAR20 poly\$1silicon\$4 | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:59 |
| S97 | 1082 | (side\$wall\$4 NEAR20 spacer\$4) NEAR20 (etch\$1mask\$4 OR (etch\$4 ADJ mask\$4) or (etch\$4 NEAR5 mask\$4)) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:58 |
| S108 | 209 | S106 AND (poly\$1silicon\$4 NEAR20 (mask\$4 OR etch\$1mask\$4)) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:33 |
| S107 | 209 | S106 AND (poly\$1silicon\$4 NEAR20 mask\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:32 |
| S106 | 388 | S105 AND ((spacer\$4 OR side\$1wall\$4) NEAR20 mask\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S105 | 1090 | S104 AND (spacer\$4 OR side\$1wall\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S104 | 2436 | S103 AND (memor\$4 NEAR20 non\$1volatil\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S103 | 3079 | S102 AND (tunnel\$4 NEAR4 oxide\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S102 | 8097 | S101 AND memor\$4 | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S101 | 9655 | S100 AND (float\$4 NEAR20 gate\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S100 | 84186 | S99 AND ((field\$4 NEAR10 oxide\$4) OR FOX OR isolat\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |

| | | | | | | |
|-----|--------|------------------------------------------------------------------------------|----------------------------------------------------|----|-----|------------------|
| S99 | 175274 | (metal\$4 NEAR10 oxide\$4 NEAR semi\$1conduct\$4) OR MOS OR FET OR MOS\$1FET | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S95 | 388 | S94 AND ((spacer\$4 OR side\$1wall\$4) NEAR20 mask\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/11 14:29 |
| S98 | 134 | S97 AND ((lithograph\$4 OR photo\$1lithograph\$4) NEAR20 limit\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:44 |
| S96 | 44 | S95 AND ((lithograph\$4 OR photo\$1lithograph\$4) NEAR20 limit\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:44 |
| S85 | 134 | S84 AND ((lithograph\$4 OR photo\$1lithograph\$4) NEAR20 limit\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:40 |
| S94 | 1088 | S93 AND (spacer\$4 OR side\$1wall\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:27 |
| S34 | 819 | S33 AND (spacer\$4 OR side\$1wall\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:26 |
| S93 | 2432 | S92 AND (memor\$4 NEAR20 non\$1volatil\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:25 |
| S25 | 1964 | S23 AND (memor\$4 NEAR20 non\$1volatil\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:25 |
| S92 | 3074 | S91 AND (tunnel\$4 NEAR4 oxide\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:24 |
| S91 | 8086 | S90 AND memor\$4 | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:24 |
| S23 | 2498 | S22 AND (tunnel\$4 NEAR4 oxide\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:24 |
| S22 | 6499 | S21 AND memor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:24 |

| | | | | | | |
|-----|--------|------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S90 | 9643 | S89 AND (float\$4 NEAR20 gate\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:23 |
| S89 | 84130 | S88 AND ((field\$4 NEAR10 oxide\$4) OR FOX OR isolat\$4) | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:23 |
| S30 | 7736 | S29 AND (float\$4 NEAR20 gate\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:23 |
| S88 | 175152 | (metal\$4 NEAR10 oxide\$4 NEAR semi\$1conduct\$4) OR MOS OR FET OR MOS\$1FET | US-PGPUB; USPAT | OR | OFF | 2006/01/06 09:22 |
| S29 | 70917 | S28 AND ((field\$4 NEAR10 oxide\$4) OR FOX OR isolat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:22 |
| S28 | 197641 | (metal\$4 NEAR10 oxide\$4 NEAR semi\$1conduct\$4) OR MOS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/06 09:21 |
| S86 | 18 | S85 AND S79 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 13:19 |
| S84 | 4415 | S83 AND (memor\$4 NEAR20 non\$1volatil\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 12:56 |
| S83 | 6504 | S82 AND memor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 12:56 |
| S82 | 7743 | S81 AND (float\$4 NEAR20 gate\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 12:56 |

| | | | | | | |
|-----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S81 | 71021 | S80 AND ((field\$4 NEAR10 oxide\$4) OR FOX OR isolat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 12:56 |
| S80 | 198065 | (metal\$4 NEAR10 oxide\$4 NEAR semi\$1conduct\$4) OR MOS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 12:56 |
| S78 | 84 | S77 AND (spacer\$4 NEAR20 multiple\$4 NEAR20 layer\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 08:49 |
| S77 | 17594 | S76 AND spacer\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 08:48 |
| S76 | 198065 | (metal\$4 NEAR10 oxide\$4 NEAR semi\$1conduct\$4) OR MOS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 08:48 |
| S75 | 4 | ("5510286").URPN. | USPAT | OR | OFF | 2005/08/10 15:44 |
| S73 | 5 | ("6027972").URPN. | USPAT | OR | OFF | 2005/08/10 15:19 |
| S72 | 11 | ("4513397" "4558339" "5100818" "5225362" "5310693" "5612237" "5750428" "5773343" "5817557" "5837583" "5854501").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/08/10 15:16 |
| S71 | 11 | ("5019879" "5886379" "5962889" "5973353" "6015984" "6218246" "6252271" "6309926" "6380035" "6380582" "6486508").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/08/10 15:06 |
| S66 | 1 | ("6583008").PN. | USPAT; USOCR | OR | OFF | 2005/08/10 15:06 |
| S65 | 8 | ("5915178" "5970354" "6228695" "6312989" "6380583" "6583008" "6627524" "6653188").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/08/10 14:16 |

| | | | | | | |
|-----|-------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S64 | 1 | ("6881629").PN. | USPAT; USOCR | OR | OFF | 2005/08/10 13:57 |
| S60 | 4 | "6399442" | USPAT | OR | OFF | 2005/08/10 13:45 |
| S61 | 9 | ("5108939" "5352618" "5516713" "5953254" "6156610" "6174771" "6255172" "6316316" "6369422").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/08/10 13:25 |
| S51 | 134 | S44 AND ((lithograph\$4 OR photo\$1lithograph\$4) NEAR20 limit\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 12:30 |
| S52 | 5 | ("6027972").URPN. | USPAT | OR | OFF | 2005/08/10 11:01 |
| S45 | 5 | ((("5915178") or ("6380583") or ("6403494") or ("6326660") or ("5643814")).PN. | USPAT; USOCR | OR | OFF | 2005/08/10 10:33 |
| S44 | 4412 | S42 AND (memor\$4 NEAR20 non\$1volatil\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:32 |
| S33 | 1964 | S32 AND (memor\$4 NEAR20 non\$1volatil\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:30 |
| S42 | 6499 | S41 AND memor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:29 |
| S41 | 7736 | S40 AND (float\$4 NEAR20 gate\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:29 |
| S40 | 70917 | S39 AND ((field\$4 NEAR10 oxide\$4) OR FOX OR isolat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:29 |

| | | | | | | |
|-----|--------|----------------------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S39 | 197641 | (metal\$4 NEAR10 oxide\$4 NEAR semi\$1conduct\$4) OR MOS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:29 |
| S26 | 819 | S25 AND (spacer\$4 OR side\$1wall\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:29 |
| S38 | 2 | "EP 1387395" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 10:28 |
| S2 | 3 | ((("20010041309") or ("6242795") or ("5893748"))).PN. | US-PGPUB; USPAT | OR | OFF | 2005/08/10 10:27 |
| S37 | 147 | S36 AND planariz\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 08:53 |
| S36 | 293 | S35 AND ((spacer\$4 OR side\$1wall\$4) NEAR20 nitride\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 08:53 |
| S35 | 527 | S34 AND ((spacer\$4 OR side\$1wall\$4) NEAR20 (remov\$4 OR etch\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 08:50 |
| S32 | 2498 | S31 AND (tunnel\$4 NEAR4 oxide\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 08:50 |
| S31 | 6499 | S30 AND memor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/10 08:50 |

| | | | | | | |
|-----|--------|-------------------------------------------------------------|-------------------------------------------------------------------|----|-----|------------------|
| S20 | 70917 | S3 AND ((field\$4 NEAR10 oxide\$4) OR FOX OR isolat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/09 18:30 |
| S21 | 7736 | S20 AND (float\$4 NEAR20 gate\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/09 18:27 |
| S3 | 197641 | (metal\$4 NEAR10 oxide\$4 NEAR semi\$1conduct\$4) OR MOS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/09 17:58 |